
Screens » Benching Screens



Collections: Unna

Applications: Desk Accessories (Dividers & Screens)













Screens » Benching Screens

Unna Benching Screen's range of designs, widths and finishes is ideal for converting existing tables and benches into private workspaces.

Description	The modern design, optional acrylic panel and integrated cord management create a clean, uncluttered workspace that remove distractions. The 24" high screen is available in 54", 110" and 165" widths, so works with a variety of tabletops and aesthetics. func., Unna Benching Screens are easily cleaned with bleach and water.			
How to Specify	 Select 1 x PET Color White Powder Coat ONLY Select Acrylic Panel - Clear or Frosted Refer Product Specification Guide 			
Composition	Density 0.5 lb/ft² 2.4 kg /m²			
PET Colours	 Standard Finishes: 30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight. 4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum. Premium Finishes: 12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak. 18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark. 			



Material	 60% post-consumer recycled PET bottles. 35% pre-consumer recycled content from PET chips 5% bio-based Polylactic Acid (PLA) 		
Powder Coat	White ONLY		
Acrylic	• Clear • Frost		
Dimensions	 55"(1397mm) w x 24" (610mm) h x 48" (1207mm) d 110" (2794mm) w x 24" (610mm) h x 48" (1207mm) d 165" (4191mm) w x 24" (610mm) h x 48" (1207mm) d 		
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification		
Made In	USA		
Lead Time	4 weeks		
Inclusions	Desk Shell Clamp brackets, PET/Acrylic panels		
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.		



Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.		
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).		
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.		
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.		
Warranty	5-year warranty.		
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.		



Screens » Benching Screens

Colour & Finish Options


func solid colors





benching screen unna

Screens » Benching Screens



travertine dark

shale light

shale medium

shale dark

raku bone




Screens » Benching Screens

raku luster	raku jade	concrete cast	concrete polished	concrete dark tint
raku luster	raku jade	concrete cast	concrete polished	concrete dark tint
terracotta sun	terracotta mission	terracotta antique		

func premium wood


bleached





Screens » Benching Screens

func acrylic





clear

