

# UNNA BENCHING SCREEN

Screens » Benching Screens



Collection: **Unna**

# UNNA BENCHING SCREEN

Screens » Benching Screens



BARK - PET



BRICK - PET



CADET - PET




CHAMBRAY - PET



COBALT - PET



ECRU - PET



FOSSIL - PET



FROST - PET



GRASS - PET



GREIGE - PET



IVORY - PET



LINEN - PET



MALACHITE - PET



MANDARIN - PET




MIDNIGHT - PET



OCHRE - PET



OLIVE - PET



PEBBLE - PET



PEWTER - PET



SUNSHINE - PET




SKY - PET




SLATE - PET



SMOKE - PET



SUNSHINE - PET



TAR - PET

# UNNA BENCHING SCREEN

Screens » Benching Screens


---




EUCALYPTUS - TIMBER  
PET



IRONBARK - TIMBER  
PET



MERBAU - TIMBER PET



SPOTTED GUM -  
TIMBER PET

# UNNA BENCHING SCREEN

Screens » Benching Screens



Unna Benching Screen's range of designs, widths and finishes is ideal for converting existing tables and benches into private workspaces.

## Description

The modern design, optional acrylic panel and integrated cord management create a clean, uncluttered workspace that remove distractions. The 24" high screen is available in 54", 110" and 165" widths, so it works with a variety of tabletops and aesthetics.

func., Unna Benching Screens are easily cleaned with bleach and water.

## Made In

USA

## Dimensions

- 55" (1397mm) w x 24" (610mm) h x 48" (1207mm) d
- 110" (2794mm) w x 24" (610mm) h x 48" (1207mm) d
- 165" (4191mm) w x 24" (610mm) h x 48" (1207mm) d

## Powder Coat

White ONLY

# UNNA BENCHING SCREEN

Screens » Benching Screens

---

**PET Colours**                    **24 Colors** – Bark, Brick, Cadet, Chambray, Cobalt, Ecrú, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar.

**4 Timber Prints** – Eucalyptus, Iron bark, Merbau, Spotted Gum.

---

**Acrylic**                         • Clear  
                                      • Frost

---

**Composition**                Density 0.5 lb/ft<sup>2</sup> 2.4 kg /m<sup>2</sup>

---

**Material**                      • 60% post-consumer recycled PET bottles.  
                                      • 35% pre-consumer recycled content from PET chips  
                                      • 5% bio-based Polylactic Acid (PLA)

---

**Fire Rating**                    ASTM-E84 – Class A classification  
                                      AS ISO 9705 – 2003 – Group 1 classification  
                                      EN-13501 – B-s2-d0 classification

---

**Warranty**                      5-year warranty.

---

**Lead Time**                     4 weeks

---

**Assembly & Delivery**       Flat pack delivery, minimal assembly required.  
                                      See installation instructions for detail.

---

**How to Specify**               • Select 1 x PET Color  
                                      • White Powder Coat ONLY  
                                      • Select Acrylic Panel – Clear or Frosted  
                                      • Refer Product Specification Guide

---

# UNNA BENCHING SCREEN

Screens » Benching Screens

---

## Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

---

## Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

---

## Inclusions

Desk Shell Clamp brackets, PET/Acrylic panels

---