
**Screens** » Desking Screens




Collections: Murri


Applications: Desk Accessories (Dividers & Screens)





















**Screens** » Desking Screens

Murri Desking Screen is a contemporary screen with noise and germ blocking acrylic side panels that's perfect for height adjustable desks and tables.

Description	Balances front on privacy with adjacent light, a contemporary desking screen with the addition of germ and noise blocking acrylic side panels.  Its modern design and use of shell clamps mean it works with almost any worksurface or height adjustable table. The 36" high screen is available in 7 widths from 47"-72", PET colors and prints.  func., Murri Desking Screens are easily cleaned with bleach and water.
How to Specify	<ul> <li>Select 1 x PET Color</li> <li>White Powder Coat Finish Only</li> <li>Select 1 x Wood Finish</li> <li>Refer Product Specification Guide</li> </ul>
Composition	Density 0.5 lb/ft² 2.4 kg /m²
PET Colours	Refer to Color + Finish
Material	<ul> <li>60% post-consumer recycled PET bottles.</li> <li>35% pre-consumer recycled content from PET chips</li> <li>5% bio-based Polylactic Acid (PLA)</li> </ul>
Powder Coat	White ONLY
Acrylic	Refer to Color + Finish



Dimensions	• 47" (1200mm) w x 36" (915mm) h x 24" (616mm) d
	• 48" (1220mm) w x 36" (915mm) h x 24" (616mm) d
	• 55" (1400mm) w x 36" (915mm) h x 24" (616mm) d
	• 60" (1524mm) w x 36" (915mm) h x 24" (616mm) d
	• 63" (1600mm) w x 36" (915mm) h x 24" (616mm) d
	• 71" (1800mm) w x 36" (915mm) h x 24" (616mm) d
	• 72" (1829mm) w x 36" (915mm) h x 24" (616mm) d
Fire Rating	ASTM-E84 - Class A classification AS ISO 9705 - 2003 - Group 1 classification EN-13501 - B-s2-d0 classification
Made In	USA
Lead Time	4 weeks
Inclusions	Desk Clamp Brackets, PET panels, Acrylic panels, Fixing Hardware
Assembly & Delivery	Flat pack delivery, minimal assembly required.
	See installation instructions for detail.
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.



Warranty	5-year warranty.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



**Screens** » Desking Screens


### Colour & Finish Options

#### func solid colors






**Screens** » Desking Screens



#### func premium material



**Screens** » Desking Screens



#### func timber print





**Screens** » Desking Screens

#### func textile braid



#### func textile burlap






**Screens** » Desking Screens



#### func textile herring





































Meadow

Pebble









func acrylic





clear

frosted