
Walls » Mobile Walls



Collections: Cooee

Applications: Screens & Partitions



Walls » Mobile Walls







Walls » Mobile Walls

Cooee Collaboration Wall stop fighting for real estate on one Big Whiteboard, perfect when everyone wants to explain themselves. 8 Small Whiteboards.

✓ Absorbs Noise	Easy Install	Easy Clean	
✓ Bleach Cleanable	✓ Acoustic		
Description	Why stop at one whiteboard when you could have four, on each side.		
	The Cooee Collaboration Wall has eight erasable and magnetic Small Whiteboards, eight Hooks, plus 2 cups to hold markers. The whiteboards are perfect when everyone wants to explain themselves. It saves having to fight for real estate on one Big Whiteboard.		
	lockable casters, so that its	ne is complemented by a steel base and strong, stable, and maneuverable. Superior with the combination of sustainable, sound blocking membrane.	
	It is the mobile wall your ted	ım will ask for.	
	func., Cooee Walls are easil	y cleaned with bleach and water	
How to Specify	• Select 1 x PET Color		
	• Select 1 x Powder Coat Fin	sh	
	• Refer Product Specificatio	n Guide	
Composition	Density 0.5 lb/ft² 2.4 kg /m²		
PET Colours	Refer Color + Finishes		
Material	• 60% post-consumer recyc	cled PET bottles.	
	• 35% pre-consumer recycl	ed content from PET chips	
	• 5% bio-based Polylactic Acid (PLA)		
	Accessories: Steel + PET insert/liner with powder coat finish		
Powder Coat	Refer Color + Finishes		



Walls » Mobile Walls

Dimensions	47.5" (1207mm) w x 78.5" (1994mm) h x 15" (380mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	6-8 weeks	
Inclusions	Mobile wall with 2 cups, 8 hooks, 8 small whiteboards	
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.	
Care Instructions	Remove spills immediately using a clean damp cloth or soap and water. Polyester carpet and fabric cleaners can be used – always test an inconspicuous area first. A stain-repellent coating is available for additional protection. To disinfect, bleach can be used in accordance with CDC cleaning and disinfection instructions. (Solution ratio is 5 tablespoons of bleach to 1 Gallon (3.7 ltr) of water or 4 teaspoons of bleach per quart (0.95 ltr) of water. Spray apply the solution as a mist and wipe-off surface moisture.	
Warranty	5-year warranty.	
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru	



Walls » Mobile Walls

Colour & Finish Options

func solid colors





Walls » Mobile Walls




func timber print




func premium material



Walls » Mobile Walls



func premium wood



Walls » Mobile Walls

func textile braid



func textile burlap





Walls » Mobile Walls



func textile herring





Walls » Mobile Walls



func textile loom



Walls » Mobile Walls



func powdercoat



