Walls » Mobile Walls



Collection: Cooee










Walls » Mobile Walls



Cooee Louver Wall lets you balance light and sound. The easy to operate louvers let light into interior spaces when you need it.

Absorbs Noise Easy Install Easy C	:lean
-----------------------------------	-------

Bleach Cleanable
Acoustic

Description

Easy to operate louvers let light into interior spaces when you need it. The good news is that there are still grooves around the edges to add storage with attach Wall Hooks and Wall Cups.

Its lightweight internal frame is complemented by a steel base and lockable casters, so that its strong, stable, and maneuverable. Superior noise reduction is achieved when the sustainable, sound absorbing PET converts sound energy into heat.

This wall gives the best of both worlds.

func., Cooee Walls are easily cleaned with bleach and water

Made In	USA
Dimensions	47.5" (1207mm) w x 78.5" (1994mm) h x 15" (380mm) d



Powder Coat	Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta.
PET Colours	24 Colors – Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar.
	4 Timber Prints - Eucalyptus, Iron bark, Merbau, Spotted Gum.
Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	60% post-consumer recycled PET bottles.
	• 35% pre-consumer recycled content from PET chips
	• 5% bio-based Polylactic Acid (PLA)
	Accessories: Steel + PET insert/liner with powder coat finish
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Warranty	5-year warranty.
Lead Time	6-8 weeks
Assembly & Delivery	Flat pack delivery, minimal assembly required.
	See installation instructions for detail.
How to Specify	Select 1 x PET Color
	Select 1 x Powder Coat Finish
	Refer Product Specification Guide



Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Additional Comments	To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.
Inclusions	Mobile wall with 1 cup and 6 rotating louvers

