Walls » Mobile Walls



Collections: Cooee

Applications: Walls



Walls » Mobile Walls











Walls » Mobile Walls

Cooee Louver Wall lets you balance light and sound. The easy to operate louvers let light into interior spaces when you need it.

<ul><li>Easy Install</li><li>Acoustic</li></ul>	✓ Easy Clean
Easy to operate louvers let light into interior spaces when you need it. The good news is that there are still grooves around the edges to add storage with attach Wall Hooks and Wall Cups.	
casters, so that its strong, stab	complemented by a steel base and lockable le, and maneuverable. Superior noise e sustainable, sound absorbing PET converts
This wall gives the best of both	worlds.
func., Cooee Walls are easily c	eaned with bleach and water
Select 1 x PET Color	
• Select 1 x Powder Coat Finish	
• Refer Product Specification G	uide
Density 0.5 lb/ft² 2.4 kg /m²	
Refer Color + Finishes	
• 60% post-consumer recycle	ed PET bottles.
• 35% pre-consumer recycled	I content from PET chips
• 5% bio-based Polylactic Aci	d (PLA)
Accessories: Steel + PET insert/	liner with powder coat finish
Refer Color + Finishes	
47.5" (1207mm) w x 78.5" (1994	mm) h x 15" (380mm) d
	Easy to operate louvers let ligh good news is that there are stil with attach Wall Hooks and Wall Hooks and Wall Hooks and Wall Hooks and Wall Its lightweight internal frame is casters, so that its strong, stab reduction is achieved when the sound energy into heat.  This wall gives the best of both func., Cooee Walls are easily cleen.  Select 1 x PET Color  Select 1 x Powder Coat Finish  Refer Product Specification Games and the sound product of



Walls » Mobile Walls

Fire Rating

r ii o itaaii ig	AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Made In	USA
Lead Time	6-8 weeks
Inclusions	Mobile wall with 1 cup and 6 rotating louvers
Assembly & Delivery	Flat pack delivery, minimal assembly required.  See installation instructions for detail.
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free

ASTM-E84 - Class A classification

To remove the bleach, repeat using a clean, water dampened cloth, then

For difficult stains, use a solution of household bleach (10% bleach / 90%

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty 5-year warranty.

cloth.

Additional To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



Walls » Mobile Walls

### **Colour & Finish Options**

#### func solid colors





Walls » Mobile Walls





Walls » Mobile Walls

bleached

### func timber print









func premium wood







maple



poplar



australian walnut



claro walnut



palmwood



rustic walnut



cherry



euro beech



lacewood



redwood



white oak

#### func textile braid



Walls » Mobile Walls



### func textile burlap





Walls » Mobile Walls



### func textile herring





Walls » Mobile Walls



#### func textile loom





Walls » Mobile Walls



### func powdercoat



