Screens » Floor Screens




Collections: Alinta

Applications: Screens & Partitions











Screens » Floor Screens

Alinta Floor Screen is lightweight and easy to move. The horizontal spacing between the panels is designed to balance privacy, acoustics, and light.

| ✓ Absorbs Noise    | 🗸 Easy Install   | 🗸 Easy Clean |  |  |  |
|--------------------|--|--------------|--|--|--|
| ✓ Bleach Cleanable | ✓ Acoustic   |              |  |  |  |
| Description        | The Alinta Floor Screen turns almost any open space into a workspace. It's<br>V-fold gives a strong, angular aesthetic, while its lightweight construction<br>makes it easy to move and create spaces wherever you need them. The<br>design's horizontal spacing between the PET panels balances privacy,<br>acoustics, and light. |              |  |  |  |
|                    | This is highly configurable screen, comes in 61" and 72" heights and 48", 72"<br>and 96" widths. All sizes come in 24 PET colors, 4 wood prints and the choice<br>of blonde, dark, white, or black wood supports.<br>func., Alinta Floor Screens are easily cleaned with bleach and water.   |              |  |  |  |
| How to Specify     | • Select 1 x PET Color   |              |  |  |  |
|                    | • Select 1 x Wood Finish   |              |  |  |  |
|                    | Refer Product Specification Guide  |              |  |  |  |
| Composition        | Density 0.5 lb/ft² 2.4 kg /m²  |              |  |  |  |



| PET Colours | Standard Finishes:  |  |  |  |  |
|-------------|---|--|--|--|--|
|             | 30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil,<br>Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight,<br>Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm,<br>Sunshine, Tar, Twilight.   |  |  |  |  |
|             | 4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.  |  |  |  |  |
|             | Premium Finishes:   |  |  |  |  |
|             | <b>12 Premium Wood Prints: A</b> ustralian Walnut, Cherry, Claro Walnut, Euro<br>Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic<br>Walnut, White Oak.   |  |  |  |  |
|             | <b>18 Premium Material Prints:</b> Concrete Cast, Concrete Polished, Concrete<br>Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium,<br>Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique,<br>Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine<br>Medium, Travertine Dark. |  |  |  |  |
| Material    | <ul> <li>60% post-consumer recycled PET bottles.</li> </ul>   |  |  |  |  |
|             | <ul> <li>35% pre-consumer recycled content from PET chips</li> </ul>  |  |  |  |  |
|             | <ul> <li>5% bio-based Polylactic Acid (PLA)</li> </ul>  |  |  |  |  |
|             |   |  |  |  |  |
| Wood        | • Blonde  |  |  |  |  |
|             | • Dark  |  |  |  |  |
|             | • White   |  |  |  |  |
|             | • Black   |  |  |  |  |
|             |   |  |  |  |  |



Screens » Floor Screens

| Warranty            | 5-year warranty.  |  |  |  |
|---------------------|---|--|--|--|
|                     | Always test in an inconspicuous area first and if you don't see the expected results, contact us.   |  |  |  |
|                     | To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.   |  |  |  |
|                     | For difficult stains, use a solution of household bleach (10% bleach / 90% water).  |  |  |  |
| Care Instructions   | Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth. |  |  |  |
|                     | See installation instructions for detail.   |  |  |  |
| Assembly & Delivery | Flat pack delivery, minimal assembly required.  |  |  |  |
| Inclusions          | Wood Supports, PET Panels   |  |  |  |
| Lead Time           | 4 weeks   |  |  |  |
| Made In             | USA   |  |  |  |
| Fire Rating         | ASTM-E84 – Class A classification<br>AS ISO 9705 – 2003 – Group 1 classification<br>EN-13501 – B-s2-d0 classification                                       |  |  |  |
|                     | • 96" (2439mm) w x 72" (1829mm) h x 15" (377mm) d   |  |  |  |
|                     | • 96" (2439mm) w x 61" (1550mm) h x 15" (377mm) d   |  |  |  |
|                     | • 72" (1829mm) w x 72" (1829mm) h x 15" (377mm) d   |  |  |  |
|                     | • 72" (1829mm) w x 61" (1550mm) h x 15" (377mm) d   |  |  |  |
|                     | • 48" (1220mm) w x 72" (1829mm) h x 15" (377mm) d   |  |  |  |
| Dimensions          | • 48" (1220mm) w x 61" (1550mm) h x 15" (377mm) d   |  |  |  |

FUNC.

Screens » Floor Screens

#### Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.




Screens » Floor Screens

#### **Colour & Finish Options**

#### func solid colors








Screens » Floor Screens

| raku luster    | raku jade          | concrete cast      | concrete polished | concrete dark tint |
|----------------|--------------------|--------------------|-------------------|--------------------|
|                |                    |                    |                   |                    |
| terracotta sun | terracotta mission | terracotta antique |                   |                    |

#### func premium wood

bleached



FUNC

Screens » Floor Screens

#### func wood









Black

Blonde

Dark

