Screens » Floor Screens




Collections: Mallee

Applications: Screens & Partitions



Screens » Floor Screens










Screens » Floor Screens







Screens » Floor Screens

Mallee Floor Screen is a high-design space creator that bends in 2 directions and is easy to move whenever and wherever you need it to.

Absorbs Noise	Easy Install	Easy Clean	
✓ Bleach Cleanable	✓ Acoustic		
Description	The Mallee Floor Screen is a high-design space creator that bends when you need it to.		
	allow it to bend in a L, U or Z st add stability; however you use	s it easy to move, while the kerf cut section hape. The wide feet and solid wood suppor e it. With models available in 3 heights, 2 ood prints, there's something there for ire.	
	Manufactured in the USA, the Mallee Floor Screen ships quickly, comes flat packed and is simple to assemble.		
	func., Mallee Floor Screens are	e easily cleaned with bleach and water.	
How to Specify	1. Select PET Color		
	2. Select Wood Finish		
	• Blonde		
	• Dark Stain		
	• White		
	Matt Black		



Screens » Floor Screens

PET Colours

Standard Finishes:

30 Solid Colors: Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Elderberry, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Meadow, Midnight, Ochre, Olive, Parchment, Pebble, Pewter, Saffron, Sky, Slate, Smoke, Storm, Sunshine, Tar, Twilight.

4 Timber Prints: Eucalyptus, Iron bark, Merbau, Spotted Gum.

Premium Finishes:

12 Premium Wood Prints: Australian Walnut, Cherry, Claro Walnut, Euro Beech, Knotty Pine, Lace Wood, Maple, Palm Wood, Poplar, Redwood, Rustic Walnut, White Oak.

18 Premium Material Prints: Concrete Cast, Concrete Polished, Concrete Dark Tint, Raku Bone, Raku Luster, Raku Jade, Shale Light, Shale Medium, Shale Dark, Terracotta Sun Bleached, Terracotta Mission, Terracotta Antique, Terrazzo Light, Terrazzo Medium, Terrazzo Dark, Travertine Light, Travertine Medium, Travertine Dark.

Material

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)

Wood

- Blonde
- Dark
- White
- Black



Screens » Floor Screens

Dimensions	• 60" (1524mm) w x 54" (1372mm) h x 15" (377mm) d	
	• 60" (1524mm) w x 72" (1829mm) h x 15" (377mm) d	
	• 84" (2134mm) w x 54" (1372mm) h x 15" (377mm) d	
	• 84" (2134mm) w x 72" (1829mm) h x 15" (377mm) d	
	• 108" (2744mm) w x 54" (1372mm) h x 15" (377mm) d	
	• 108" (2744mm) w x 72" (1829mm) h x 15" (377mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Inclusions	Wood Supports, PET Panels	
Assembly & Delivery	Flat pack delivery, minimal assembly required.	
	See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty.	



Screens » Floor Screens

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



Screens » Floor Screens

Colour & Finish Options

func solid colors





Screens » Floor Screens




func timber print




func premium material



Screens » Floor Screens




func premium wood



Screens » Floor Screens

func wood





Blonde



