**Screens** » Floor Screens




Collections: Yakka


Applications: Screens & Partitions




**Screens** » Floor Screens









**Screens** » Floor Screens







**Screens** » Floor Screens

Yakka Floor Screen is one of a kind - a super light, noise absorbing, freestanding feature, that adds personality and privacy to open spaces.

✓ Absorbs Noise	Easy Install	Easy Clean				
✓ Acoustic	✓ Bleach Cleanable					
Description	The Yakka Floor Screen is a one of a kind, a free-standing room feature, that adds personality and reduces noise.					
	The unique cantilevered design creates a distinctive feature in almost any room. The 42" x 72" progressive aesthetics are complemented by the choice of PET colors, prints and a wooden base.					
	Manufactured in the USA, the Yakka Floor Screen ships quickly, comes flat packed and is super simple to assemble.					
	func., Yakka Floor Screens are	easily cleaned with bleach and water.				
How to Specify	• Select 1 x PET Color					
	Select 1 x Wood Finish					
	• Refer Product Specification (	Guide				
Composition	Density 0.5 lb/ft² 2.4 kg /m²					
PET Colours	Refer to Color + Finish					
Material	• 60% post-consumer recycl	ed PET bottles.				
	• 35% pre-consumer recycle	d content from PET chips				
	<ul> <li>5% bio-based Polylactic Ac</li> </ul>	rid (PLA)				
Wood	Refer to Color + Finish					
Dimensions	42" (1067mm) w x 72" (1829mm) h x 21" (533mm) d					



**Screens** » Floor Screens

Fi	re	R	a	ti	n	a

Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1

Specific Extinction - Less than 250m<sup>2</sup>/kg

Made In

USA

Lead Time

4 weeks

**Inclusions** 

Wood base, PET panel

**Assembly & Delivery** 

Flat pack delivery, minimal assembly required.

See installation instructions for detail.

#### **Care Instructions**

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

Warranty

5-year warranty.

### Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



**Screens** » Floor Screens

### **Colour & Finish Options**

#### func solid colors





**Screens** » Floor Screens



### func timber print




### func premium material



**Screens** » Floor Screens



### func premium wood



**Screens** » Floor Screens

#### func textile braid



### func textile burlap





**Screens** » Floor Screens




### func textile herring





**Screens** » Floor Screens







**Screens** » Floor Screens










#### func wood









Blonde

Dark

White