

# YAKKA FLOOR SCREEN

Screens » Floor Screens



Collection: **Yakka**

# YAKKA FLOOR SCREEN

Screens » Floor Screens



BARK - PET



BRICK - PET



CADET - PET



CHAMBRAY - PET



COBALT - PET



ECRU - PET



FOSSIL - PET



FROST - PET



GRASS - PET



GREIGE - PET



IVORY - PET



LINEN - PET



MALACHITE - PET



MANDARIN - PET



MIDNIGHT - PET



OCHRE - PET



OLIVE - PET



PEBBLE - PET



PEWTER - PET



SKY - PET



SLATE - PET



SMOKE - PET



SUNSHINE - PET



TAR - PET



EUCALYPTUS - TIMBER  
PET


# YAKKA FLOOR SCREEN

Screens » Floor Screens

---



IRONBARK - TIMBER  
PET



MERBAU - TIMBER PET



SPOTTED GUM -  
TIMBER PET

# YAKKA FLOOR SCREEN

Screens » Floor Screens



Yakka Floor Screen is one of a kind – a super light, noise absorbing, freestanding feature, that adds personality and privacy to open spaces.

- Absorbs Noise
- Acoustic
- Easy Install
- Bleach Cleanable
- Easy Clean

## Description

The Yakka Floor Screen is a one of a kind, a free-standing room feature, that adds personality and reduces noise.

The unique cantilevered design creates a distinctive feature in almost any room. The 42" x 72" progressive aesthetics are complemented by the choice of 24 PET colors, 4 wood prints and a Blonde, Dark, White or Black wooden base.

Manufactured in the USA, the Yakka Floor Screen ships quickly, comes flat packed and is super simple to assemble.

func., Yakka Floor Screens are easily cleaned with bleach and water.

## Made In

USA

## Dimensions

42" (1067mm) w x 72" (1829mm) h x 21" (533mm) d

# YAKKA FLOOR SCREEN

Screens » Floor Screens

---

**PET Colours**                    **24 Colors** – Bark, Brick, Cadet, Chambray, Cobalt, Ecu, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Slate, Smoke, Sunshine, Tar.

**4 Timber Prints** – Eucalyptus, Iron bark, Merbau, Spotted Gum.

---

**Wood**

- Blonde
- Dark
- White
- Black

---

**Composition**                    Density 0.5 lb/ft<sup>2</sup> 2.4 kg /m<sup>2</sup>

---

**Material**

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)

---

**Fire Rating**                    Tested in accordance with AS ISO 9705 2003 for the purpose of determining the Group Number classification required by the Building Code of Australia for the control of fire spread on interior wall and ceiling linings.

Classification - Group 1  
Specific Extinction - Less than 250m<sup>2</sup>/kg

---

**Warranty**                    5-year warranty. Visit [baresque.com.au/about/faq/](https://baresque.com.au/about/faq/) for complete details.

---

**Lead Time**                    4 weeks

---

**Assembly & Delivery**       Flat pack delivery, minimal assembly required.  
  
See installation instructions for detail.

---

# YAKKA FLOOR SCREEN

Screens » Floor Screens

---

## How to Specify

- Select 1 x PET Color
  - Select 1 x Wood Finish
  - Refer Product Specification Guide
- 

## Care Instructions

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

---

## Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.

---

## Inclusions

Wood base, PET panel

---