
Screens » Floor Screens




Collections: Kaya

Applications: Screens & Partitions










































Screens » Floor Screens

Kaya Freestanding Screen's versatile designs make it ideal for multi-purpose spaces that need a little help with privacy and noise reduction.

✓ Absorbs Noise	Easy Install	Easy Clean
V Bleach Cleanable	✓ Acquetic	

Description

The Kaya Freestanding Screen's lightweight construction and sturdy feet, make it ideal for multi-purpose spaces.

The Grille, Lattice or Plain designs, plus the option of acrylic for increased privacy, or a writeable surface to foster those creative moments. Available in PET colors or prints, it's a configurable option that suits almost any workspace.

Manufactured in the USA, the Kaya Freestanding Screen ships quickly, comes flat packed and is simple to assemble.

func., Kaya Freestanding Screens are easily cleaned with bleach and water.

How to Specify

- Select 1 x PET Color
- Powder Coat Finish WHITE ONLY
- 1. Select Design
- Grille
- Lattice
- Plain Design
- 2. Select Acrylic if Option selected
- Clear
- Frosted
- 3. Select Writeable Surface if option selected
- Refer to Product Specification Guide

PET Colours

Refer to Color + Finish



Material	60% post-consumer recycled PET bottles.	
	35% pre-consumer recycled content from PET chips	
	• 5% bio-based Polylactic Acid (PLA)	
Powder Coat	White ONLY	
Dimensions	45.8" (1163mm) w x 72" (1829mm) h x 21" (518mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	4 weeks	
Inclusions	PET panel, Metal frame, Hardware	
Assembly & Delivery	Flat pack delivery, minimal assembly required.	
	See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty.	



Screens » Floor Screens

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



Screens » Floor Screens

Colour & Finish Options

func solid colors





Screens » Floor Screens



func timber print




func premium material



Screens » Floor Screens



func premium wood



Screens » Floor Screens

func textile braid



func textile burlap













Screens » Floor Screens







Frost

Mandarin

Saffron

Meadow


Parchment

Pebble

Pewter

Screens » Floor Screens









Smoke