Screens » Suspended Screens




Collections: Kaya

Applications: Screens & Partitions
























**Screens** » Suspended Screens

Kaya Fixed Screen's uses simple, adjustable top and bottom mounts to fix it to perfectly flat or uneven floors and ceilings.

✓ Absorbs Noise	Easy Install	Easy Clean	
✓ Bleach Cleanable	✓ Acoustic		
Description	The Kaya Fixed Screen's lightweight construction uses simple top and bottom mounts to create a sturdy partition.		
	The Grille, Lattice or Plain designs come with the option of acrylic for increased privacy, or a writeable surface to foster those creative moments.		
	func., Kaya Fixed Screens are easily cleaned with bleach and water.		
How to Specify	• Select 1 x PET Color		
	Powder Coat Finish WHITE ONLY		
	1. Select Design		
	• Grille		
	• Lattice		
	Plain Design		
	2. Select Acrylic - if Option selected		
	• Clear		
	• Frosted		
	3. Select Writeable Surface - if option selected		
	Refer to Product Specification Guide		
Composition	Density 0.5 lb/ft² 2.4 kg /m²		
PET Colours	Refer to Color + Finish		



Material	<ul> <li>60% post-consumer recycled PET bottles.</li> <li>35% pre-consumer recycled content from PET chips</li> <li>5% bio-based Polylactic Acid (PLA)</li> </ul>	
	370 blo based i olylaette Acia (i EA)	
Powder Coat	White ONLY	
Dimensions	45.8" (1163mm) w x 108" (2744mm) h x 2" (48mm) d	
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification	
Made In	USA	
Lead Time	4 weeks	
Inclusions	PET panel, Metal frame, Hardware	
Assembly & Delivery	Flat pack delivery, minimal assembly required.	
	See installation instructions for detail.	
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.	
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).	
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.	
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.	
Warranty	5-year warranty.	



**Screens** » Suspended Screens

#### Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru.



**Screens** » Suspended Screens

### Colour & Finish Options

#### func solid colors





**Screens** » Suspended Screens




#### func timber print




#### func premium material



Screens » Suspended Screens



#### func premium wood



**Screens** » Suspended Screens

### func acrylic





frosted

#### func textile braid







































**Screens** » Suspended Screens

#### func textile burlap



#### func textile herring





Screens » Suspended Screens



#### func textile loom





