
Walls » Fixed Walls



Collections: Cooee

Applications: Walls











Cooee Collaboration Wall Tiles Radius Corner



Cooee Collaboration Wall Tiles Cooee Tool Rail Detail





Cooee Collaboration Wall Tiles Cooee Tool Rail Detail

95 x 19 Cooee Collaboration Wallboard Square Back



95 x 19 Cooee Collaboration Wallboard Square Back



47.5 x 95 Cooee Collaboration Wallboard Square







47.5 x 95 Cooee Collaboration Wallboard Square Back

47.5 x 47 Cooee Collaboration Wallboard Square







23.75 x 95 Cooee Collaboration Wallboard Square







23.75 x 95 Cooee Collaboration Wallboard Square Back

23.75 x 47 Cooee Collaboration Wallboard Square





23.75 x 47 Cooee Collaboration Wallboard Square Back

95 x 19 Cooee Collaboration Wallboard Radius





95 x 19 Cooee Collaboration Wallboard Radius Back



47.5 x 95 Cooee Collaboration Wallboard Radius



47.5 x 95 Cooee Collaboration Wallboard Radius Back



47.5 x 47 Cooee Collaboration Wallboard Radius







47.5 x 47 Cooee Collaboration Wallboard Radius Back

47.5 x 19 Cooee Collaboration Wallboard Radius





47.5 x 19 Cooee Collaboration Wallboard Radius Back

23.75 x 95 Cooee Collaboration Wallboard Radius Back





23.75 x 95 Cooee Collaboration Wallboard Radius Back

23.75 x 47 Cooee Collaboration Wallboard Radius



23.75 x 47 Cooee Collaboration Wallboard Radius Back



Walls » Fixed Walls

Collaborate in style; these sound-absorbing wallboards seamlessly integrate, erasing distractions from your surroundings.

✓ Absorbs Noise	✓ Acoustic	✓ Bleach Cleanable	
✓ Easy Clean	✓ Easy Install		
Description	Cooee Collaboration Wallboard : your dynamic partner for sharing ideas and elevating your workspace's style. These sound-absorbing marvels blend seamlessly, banishing distractions and cultivating a focused ambiance.		
	whiteboards and wallboard and corner options to tailor y happens - these boards are contributors to your workspo Rail and an array of chic acc transforms into an innovatio	with the collaborative power of Cooee panels. Select from various sizes, orientations your setup perfectly. But here's where the magnot just passive elements; they're active ace's personality. With an integrated Cooee Toessories at your disposal, your workspace in canvas. Infuse personal touches – cups, ealm that's unequivocally yours.	gic
	Seamlessly merging functionality with acoustic benefits, these boards amplify aesthetics while supercharging productivity. Cooee Collaboration Wallboard: where inspiration meets innovation, turning your workspace into a vibrant nexus of ideas.		
How to Specify	Cooee Collaboration Wall Til	es:	
	1. Select PET color		
	2. Select Size		
	3. Select Square or Radius Corners		
	3. Select Quantity		
Composition	Density 0.5 lb/ft² 2.4 kg /m²		
PET Colours	Refer to Color + Finish		



Material	<ul> <li>60% post-consumer recycled PET bottles.</li> </ul>		
	<ul> <li>35% pre-consumer recycled content from PET chips</li> </ul>		
	• 5% bio-based Polylactic Acid (PLA)		
	Accessories: Steel + PET insert/liner with powder coat finish		
Powder Coat	Refer to Color + Finish		
Dimensions	Collaboration Wall Tiles - Radius		
	23.8" (603mm) w x 47.5" (1207mm) h x 1" (25mm) d		
	23.8" (603mm) w x 95" (2413mm) h x 1" (25mm) d		
	47.5" (1207mm) w x 47.5" (1207mm) h x 1" (25mm) d		
	47.5" (1207mm) w x 95" (2413mm) h x 1" (25mm) d		
	95" (2413mm) w x 19" (483mm) h x 1" (25mm) d		
	Collaboration Wall Tiles - Square		
	23.8" (603mm) w x 47.5" (1207mm) h x 1" (25mm) d		
	23.8" (603mm) w x 95" (2413mm) h x 1" (25mm) d		
	47.5" (1207mm) w x 47.5" (1207mm) h x 1" (25mm) d		
	47.5" (1207mm) w x 95" (2413mm) h x 1" (25mm) d		
	95" (2413mm) w x 19" (483mm) h x 1" (25mm) d		
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification		
Made In	USA		
Lead Time	6-8 weeks		



Walls » Fixed Walls

Circular - Pack of 8

#### Assembly & Delivery Flat pack delivery, minimal assembly required.

See installation instructions for detail.

#### **Care Instructions**

Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90% water).

To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.

Always test in an inconspicuous area first and if you don't see the expected results, contact us.

#### Warranty

5-year warranty.

### Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru



Walls » Fixed Walls

### **Colour & Finish Options**

#### func solid colors





Walls » Fixed Walls




### func timber print




### func premium material



Walls » Fixed Walls



### func premium wood



Walls » Fixed Walls

#### func textile braid



### func textile burlap






Walls » Fixed Walls



### func textile herring











Walls » Fixed Walls



### func powdercoat



