
Walls » Fixed Walls



Collection: Cooee









IRONBARK - TIMBER
PET



MERBAU - TIMBER PET



SPOTTED GUM -TIMBER PET



ANODISED SILVER -POWDER COAT



BENGAL WHITE -POWDER COAT



DENIM - POWDER
COAT



FERN - POWDER COAT



GUNMETAL - POWDER COAT



LT GREY - POWDER COAT



MARIGOLD - POWDER COAT



MATTE BLACK - POWDER COAT




SPICE - POWDER COAT



TANGO - POWDER COAT



TEAL - POWDER COAT



TERRACOTTA POWDER COAT







Cooee Collaboration Wall Tiles Radius Corner



Cooee Collaboration Wall Tiles Cooee Tool Rail Detail



Cooee Collaboration Wall Tiles Cooee Tool Rail Detail



95 x 19 Cooee Collaboration



95 x 19 Cooee Collaboration



47.5 x 95 Cooee Collaboration



47.5 x 95 Cooee Collaboration



47.5 x 47 Cooee Collaboration







23.75 x 47 Cooee Collaboration Wallboard Radius



23.75 x 47 Cooee Collaboration Wallboard Radius Back



Walls » Fixed Walls

Collaborate in style; these sound-absorbing wallboards seamlessly integrate, erasing distractions from your surroundings.

Absorbs Noise
 Acoustic
 Bleach Cleanable

Easy Clean
 Easy Install

Description

Cooee Collaboration Wallboard: your dynamic partner for sharing ideas and elevating your workspace's style. These sound-absorbing marvels blend seamlessly, banishing distractions and cultivating a focused ambiance.

Unleash your inner designer with the collaborative power of Cooee whiteboards and wallboard panels. Select from various sizes, orientations, and corner options to tailor your setup perfectly. But here's where the magic happens – these boards are not just passive elements; they're active contributors to your workspace's personality. With an integrated Cooee Tool Rail and an array of chic accessories at your disposal, your workspace transforms into an innovation canvas. Infuse personal touches – cups, hooks, or trays – to forge a realm that's unequivocally yours.

Seamlessly merging functionality with acoustic benefits, these boards amplify aesthetics while supercharging productivity. Cooee Collaboration Wallboard: where inspiration meets innovation, turning your workspace into a vibrant nexus of ideas.

Made In

USA



Dimensions	Collaboration Wall Tiles - Radius
	23.8" (603mm) w x 47.5" (1207mm) h x 1" (25mm) d
	23.8" (603mm) w x 95" (2413mm) h x 1" (25mm) d
	47.5" (1207mm) w x 47.5" (1207mm) h x 1" (25mm) d
	47.5" (1207mm) w x 95" (2413mm) h x 1" (25mm) d
	95" (2413mm) w x 19" (483mm) h x 1" (25mm) d
	Collaboration Wall Tiles - Square
	23.8" (603mm) w x 47.5" (1207mm) h x 1" (25mm) d
	23.8" (603mm) w x 95" (2413mm) h x 1" (25mm) d
	47.5" (1207mm) w x 47.5" (1207mm) h x 1" (25mm) d
	47.5" (1207mm) w x 95" (2413mm) h x 1" (25mm) d
	95" (2413mm) w x 19" (483mm) h x 1" (25mm) d
Powder Coat	Anodized Silver, Bengal White, Denim, Fern, Gunmetal, LT Grey, Marigold, Matte Black, Spice, Tango, Teal, Terracotta
PET Colours	24 Colors – Ash, Bark, Brick, Cadet, Chambray, Cobalt, Ecru, Fossil, Frost, Grass, Greige, Ivory, Linen, Malachite, Mandarin, Midnight, Ochre, Olive, Pebble, Pewter, Sky, Smoke, Sunshine, Tar.
	4 Timber Prints - Eucalyptus, Iron bark, Merbau, Spotted Gum.
Composition	Density 0.5 lb/ft² 2.4 kg /m²
Material	60% post-consumer recycled PET bottles.
	35% pre-consumer recycled content from PET chips
	• 5% bio-based Polylactic Acid (PLA)
	Accessories: Steel + PET insert/liner with powder coat finish



Walls » Fixed Walls

Fire Ratina	ASTM-E84 – Class A classification
-------------	-----------------------------------

AS ISO 9705 - 2003 - Group 1 classification

EN-13501 - B-s2-d0 classification

Warranty 5-year warranty.

Lead Time 6-8 weeks

Assembly & Delivery Flat pack delivery, minimal assembly required.

See installation instructions for detail.

How to Specify Cooee Collaboration Wall Tiles:

1. Select PET color

2. Select Size

3. Select Square or Radius Corners

3. Select Quantity

Care Instructions Dab func. with a damp clean cloth and mild solution of liquid detergent and

warm water. Repeat using only clean water, then pat dry with a lint free

cloth.

For difficult stains, use a solution of household bleach (10% bleach / 90%

water).

To remove the bleach, repeat using a clean, water dampened cloth, then

pat dry.

Always test in an inconspicuous area first and if you don't see the expected

results, contact us.

Additional To see how vivid the colors truly are, it's easy to request a sample through

the "Request information" button on this page, or you can ask for one

from your local sales guru

Inclusions Cooee Circular Wall Tiles:

Circular - Pack of 8



Comments