
Screens » Floor Screens




Collections: Inala

Applications: Screens & Partitions



Screens » Floor Screens



Inala Freestanding Screen Foot Detail



Screens » Floor Screens

Elevate your space with the Inala Freestanding Screen—a sanctuary of style, substance, and serenity.

✓ Acoustic ✓ Absorbs Noise ✓ Bleach Cleanable

✓ Easy Clean ✓ Easy Install

Description

Whether you're setting up a cozy nook in your bustling office or carving out a quiet corner in a busy classroom, the Inala Freestanding Screen is your ticket to tranquility. Beyond its aesthetic appeal, the Inala Freestanding Floor Screen offers practical benefits that enhance your everyday experience. Its sleek design not only adds visual appeal to your space but also serves as a versatile partition, effortlessly dividing and defining areas without compromising on openness.

Standing tall at 69.8 inches and boasting a width of 42.1 inches, it's your ultimate retreat from the chaos of everyday life. Crafted with care from two layers of high quality PET, and featuring a powder-coated base for stability, this screen is as sturdy as it is stylish. With a depth of just 1 inch, it seamlessly blends into any space without overwhelming it.

Indulge in the art of personalization with a choice of func.y PET colors, from soothing neutrals to eye-catching pops and architectural finishes. And for that extra touch of flair, choose from our selection of powder coats to tailor your Inala Freestanding Screen to match your vibe perfectly.

With the Inala Freestanding Floor Screen, you're not just creating a space—you're crafting your ideal environment where focus and tranquility reign supreme.

How to Specify

- 1. Select Size
- 2. Select PET Color
- 3. Select Powder Coat Finish for Base

Composition

Density 0.5 lb/ft² 2.4 kg/m²

Sustainability

func. PET panels are made from 100% recyclable materials.

- 60% post-consumer recycled PET bottles.
- 35% pre-consumer recycled content from PET chips
- 5% bio-based Polylactic Acid (PLA)
- Accessories: Steel + PET insert/liner with powder coat finish



Screens » Floor Screens

PET Colours	Refer to Color + Finish
Powder Coat	Refer to Color + Finish
Dimensions	42" (1067mm) w x 70" (1772mm) h x 1" (25mm) D
Fire Rating	ASTM-E84 – Class A classification AS ISO 9705 – 2003 – Group 1 classification EN-13501 – B-s2-d0 classification
Made In	USA
Lead Time	4-6 weeks
Inclusions	Hardware to suit size selected
Assembly & Delivery	Flat pack delivery, minimal assembly required. See installation instructions for detail.
Suggested Installation	Go to Technical Documents and download the Installation Guide for more details.
Care Instructions	Dab func. with a damp clean cloth and mild solution of liquid detergent and warm water. Repeat using only clean water, then pat dry with a lint free cloth.
	For difficult stains, use a solution of household bleach (10% bleach / 90% water).
	To remove the bleach, repeat using a clean, water dampened cloth, then pat dry.
	Always test in an inconspicuous area first and if you don't see the expected results, contact us.
Warranty	5-year warranty.



Screens » Floor Screens

Additional Comments

To see how vivid the colors truly are, it's easy to request a sample through the "Request information" button on this page, or you can ask for one from your local sales guru



Screens » Floor Screens

Colour & Finish Options

func solid colors





Screens » Floor Screens




func timber print




func premium material



Screens » Floor Screens



func premium wood



Screens » Floor Screens

func textile braid



func textile burlap






Screens » Floor Screens







Screens » Floor Screens

















Chambray

















Parchment

Pebble

Saffron

Screens » Floor Screens



func powdercoat



